

800 NEW VEHICLE LISTINGS

2015

GUIDE TO TOWING



SELECTING A TOW VEHICLE

TOWING TIPS • HITCHING BASICS

TRAILER-BRAKE CONTROLLERS

A Supplement to
**TRAILER
LIFE**

HOW TO USE THIS GUIDE

Tow ratings for all vehicle manufacturers are listed in alphabetical order and are organized by model type and configuration. In most instances, you will find a letter (or a letter and number) that identifies the equipment the rating is based on, i.e., automatic or manual transmission, gear ratio, towing package, etc. You will find the meaning for each of these letters in the "Key to Charts" legend on page 18.

If there is no letter after the rating, that means there is only one rating available. Likewise, if you find the word "All" in the engine column, that means all available engines are capable of that particular tow rating.

Because each manufacturer lists its vehicles differently, we have made some changes to keep this guide consistent and concise. For

example, Ram trucks are listed with tow ratings depending on transmission type and axle. Chevrolet/GMC and Ford trucks distinguish between conventional and fifth-wheel trailer towing. In some listings, you'll note that models have two ratings separated by a slash; the first rating is for conventional towing, and the second is for fifth-wheel towing.

Where applicable, we've also included relevant manufacturers' notes for a particular vehicle or model line. Always check with your dealer for details on the model you plan to purchase, including tow rating, payload capacity, gross vehicle weight rating (GVWR), gross combination weight rating (GCWR) and gross axle weight rating (GAWR). 🚚

2015 TOW RATINGS

KEY TO CHARTS

(A) Automatic transmission, six speeds
 (M) Manual transmission, eight speeds
 (M) Manual transmission, six speeds
 (P) Power windows
 (C) Cruise control
 (L) Locking differential
 (S) Steering wheel
 (T) Traction control
 (V) Variable valve timing
 (W) Wheel drive
 (X) Exhaust
 (Y) Yoke hitch

(A) Automatic transmission, six speeds
 (M) Manual transmission, eight speeds
 (M) Manual transmission, six speeds
 (P) Power windows
 (C) Cruise control
 (L) Locking differential
 (S) Steering wheel
 (T) Traction control
 (V) Variable valve timing
 (W) Wheel drive
 (X) Exhaust
 (Y) Yoke hitch

(A) Automatic transmission, six speeds
 (M) Manual transmission, eight speeds
 (M) Manual transmission, six speeds
 (P) Power windows
 (C) Cruise control
 (L) Locking differential
 (S) Steering wheel
 (T) Traction control
 (V) Variable valve timing
 (W) Wheel drive
 (X) Exhaust
 (Y) Yoke hitch

VEHICLE	ENGINE	TOW LIMIT (lbs)
ACURA		
MDX	3.5L V-6	3,500
MDX SH-AWD	3.5L V-6	3,500*
AUDI		
A8	All	4,000
A8	All	5,500*
A8	All	6,000 (G)
BMW		
X3 28i	2.8L I-4 TD	2,500
X3 28i	2.8L I-4 TC	3,500
X3 35i	3.0L I-8 TC	5,000
X4 28i	2.0L I-4 TC	2,000
X4 28i	3.0L I-8 TC	6,000
X4 35i	3.0L I-8 TC	6,000
X5 25i	3.0L I-8 TD	6,000
X5 25i	4.0L V-8 TD	6,000
X5 35i	3.0L I-8 TC	6,000
X5 35i	4.8L V-8 TC	6,000
X6 35i	4.8L V-8 TC	6,000
BUICK		
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (G)
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (G)
CADILLAC		
Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	7,900
Escalade ESV AWD	6.2L V-8	3,500 (G)
SIX FWD	3.6L V-6	3,500 (G)
SIX AWD	3.6L V-6	3,500 (G)
CHEVROLET/GMC		
Equinox/Terrain FWD/AWD	3.6L V-6	3,500 (G)
Express/Savana 2500 DRB CV	4.8L V-8	7,400
Express/Savana 2500 DRB CV	6.0L V-8	10,000
Express/Savana 2500 DRB CV	6.0L V-8 TO	10,000
Express/Savana 2500 LWB CV	4.8L V-8	7,200
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	6.0L V-8 TO	10,000
Express/Savana 2500 LWB CV	6.0L V-8	6,700
Express/Savana 2500 DRB PV	6.0L V-8	8,900
Express/Savana 2500 DRB PV	6.0L V-8	7,400
Express/Savana 2500 DRB CV	4.8L V-8	10,000
Express/Savana 2500 DRB CV	6.0L V-8	10,000
Express/Savana 2500 DRB CV	6.0L V-8 TO	10,000
Express/Savana 2500 DRB PV	6.0L V-8	10,000
Express/Savana 2500 DRB PV	6.0L V-8 TO	10,000
Express/Savana 2500 DRB PV	6.0L V-8	7,100
Express/Savana 2500 LWB CV	4.8L V-8	10,000
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	6.0L V-8	8,300
Express/Savana 2500 LWB PV	6.0L V-8	8,700
Express/Savana 2500 LWB PV	6.0L V-8 TO	8,700
Express/Savana 2500 LWB PV	6.0L V-8	2,000
COLORADO/CANYON		
All models	2.5L I-4	3,500
All models	3.6L V-6	7,000 (G)
All models	3.6L V-6	7,000 (G)
SILVERADO/SIERRA 1500 REGULAR CAB		
1500 Std Bed 2WD	4.3L V-6	6,100 (G)
1500 Std Bed 2WD	5.3L V-8	7,000 (G)
1500 Std Bed 2WD	5.3L V-8	8,000 (G)
1500 Std Bed 4WD	4.3L V-6	7,000 (G)
1500 Std Bed 4WD	5.3L V-8	8,700 (G)
1500 Std Bed 4WD	5.3L V-8	8,700 (G)
1500 LB 2WD	4.3L V-6	5,900 (G)
1500 LB 2WD	5.3L V-8	6,800 (G)
1500 LB 2WD	4.3L V-6	7,400 (G)
1500 LB 4WD	4.3L V-6	6,500 (G)
1500 LB 4WD	5.3L V-8	7,500 (G)
1500 LB 4WD	5.3L V-8	8,000 (G)
SILVERADO/SIERRA 2500 REGULAR CAB		
2500 Std Bed 2WD	6.0L V-8	13,000/14,000 (G)
2500 Std Bed 4WD	6.0L V-8	13,000/17,000 (G)
2500 LB 2WD	6.0L V-8	13,000/14,000 (G)
2500 LB 4WD	6.0L V-8	13,000/17,000 (G)
2500 LB 4WD	6.0L V-8	13,000/17,000 (G)
SILVERADO/SIERRA 1500 DOUBLE CAB		
1500 2WD	4.3L V-6	5,800 (G)
1500 2WD	5.3L V-8	6,500 (G)
1500 2WD	5.3L V-8	9,500 (G)
1500 2WD	5.3L V-8	11,200 (G)
1500 2WD	6.2L V-8	12,000 (G)
1500 2WD	6.2L V-8	12,000 (G)
1500 4WD	4.3L V-6	7,200 (G)
1500 4WD	5.3L V-8	8,200 (G)
1500 4WD	5.3L V-8	9,200 (G)
1500 4WD	6.2L V-8	11,000 (G)
1500 4WD	6.2L V-8	11,000 (G)
1500 4WD	6.2L V-8	2,800 (G)
1500 4WD	6.2L V-8	11,900 (G)
SILVERADO/SIERRA 2500 DOUBLE CAB		
2500 Std Bed 2WD	6.0L V-8	13,000/14,000 (G)
2500 Std Bed 4WD	6.0L V-8	13,000/17,000 (G)
2500 Std Bed 4WD	6.0L V-8 TO	13,000/17,200 (G)
2500 LB 2WD	6.0L V-8	13,000/14,000 (G)
2500 LB 4WD	6.0L V-8	13,000/17,000 (G)
2500 LB 4WD	6.0L V-8	13,000/14,000 (G)
2500 LB 4WD	6.0L V-8 TO	13,000/17,200 (G)
SILVERADO/SIERRA 1500 CREW CAB		
1500 SR 2WD	4.3L V-6	5,000 (G)
1500 SR 2WD	5.3L V-8	6,400 (G)
1500 SR 2WD	5.3L V-8	8,400 (G)
1500 SR 2WD	5.3L V-8	11,000 (G)
1500 SR 2WD	5.3L V-8	8,400 (G)
1500 SR 2WD	6.2L V-8	11,900 (G)
1500 SR 2WD	6.2L V-8	7,300 (G)
1500 SR 4WD	4.3L V-6	5,000 (G)
1500 SR 4WD	5.3L V-8	6,400 (G)
1500 SR 4WD	5.3L V-8	8,400 (G)
1500 SR 4WD	5.3L V-8	11,000 (G)
1500 SR 4WD	6.2L V-8	11,900 (G)
1500 SR 4WD	6.2L V-8	7,300 (G)
SILVERADO/SIERRA 2500 CREW CAB		
2500 Std Bed 2WD	6.0L V-8	8,800 (G)
2500 Std Bed 4WD	6.0L V-8	12,000/14,300 (G)
2500 Std Bed 4WD	6.0L V-8 TO	13,000/14,300 (G)
2500 Std Bed 4WD	6.0L V-8	5,500 (G)
2500 Std Bed 4WD	6.0L V-8	13,000/14,000 (G)
2500 Std Bed 4WD	6.0L V-8	13,000/14,000 (G)
2500 Std Bed 4WD	6.0L V-8	13,000/14,000 (G)

*Towing capacity can be increased to 3,000 lbs. with dealer-installed accessory.

†With dealer-installed hitch.

‡Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

§Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

¶Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

‡Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

§Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

¶Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

‡Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

§Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

¶Towing capacity can be increased to 13,000 lbs. with dealer-installed accessory.

2015 TOW RATINGS

KEY TO CHARTS

a6=Automatic transmission, six speeds
a8=Automatic transmission, eight speeds
m6=Manual transmission, six speeds

p=Cooling or other accessory package required
t=Towing package required

Forward slash (/) denotes either/or.

Comma (,) indicates more than one footnote applies.

b=3.08:1
c=3.15:1
d=3.21:1
e=3.23:1
f=3.31:1
g=3.42:1
h=3.55:1
i=3.73:1

j=3.92:1
k=4.10:1
l=4.30:1
n=4.44:1
o=4.56:1
q=4.88:1
r=5.38:1

AWD=All-Wheel Drive
FWD=Front-Wheel Drive
RWD=Rear-Wheel Drive
CC=Crew Cab
KC=King Cab
DC=Double Cab
SB=Shortbed
Std Bed=Standard Bed
LB=Longbed
SWB=Short Wheelbase
MWB=Medium Wheelbase
LWB=Long Wheelbase
EL=Extra Length

LR=Low Roof
MR=Medium Roof
HR=High Roof
EHR=Extra High Roof
DRW=Dual Rear Wheels
SRW=Single Rear Wheels
CV=Cargo Van
PV=Passenger Van
TD=Turbo Diesel
TC=Turbocharged
SC=Supercharged
NA=Not Available or Not Applicable

VEHICLE ENGINE TOW LIMIT (lbs)

ACURA		
MDX	3.5L V-6	3,500
MDX SH-AWD	3.5L V-6	3,500*

*Towing capacity can be increased to 5,000 lbs. with dealer-installed accessory.

AUDI		
Q5	All	4,000
Q7	All	5,500*
Q7	All	6,600 (t)

*With dealer-installed hitch.

BMW		
X3 28d	2.0L I-4 TD	3,500
X3 28i	2.0L I-4 TC	3,500
X3 35i	3.0L I-6 TC	6,000
X4 28i	2.0L I-4 TC	3,500
X4 35i	3.0L I-6 TC	6,000
X5 35d	3.0L I-6 TC	6,000
X5 35i	3.0L I-6 TD	6,000
X5 50i	4.4L V-8 TC	6,000
X6 35i	3.0L I-6 TC	6,000
X6 50i	4.4L V-8 TC	6,000

BUICK		
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)
Enclave AWD	3.6L V-6	2,000
Enclave AWD	3.6L V-6	4,500 (t)

CADILLAC		
Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV AWD	6.2L V-8	7,900
SRX FWD	3.6L V-6	3,500 (t)
SRX AWD	3.6L V-6	3,500 (t)

CHEVROLET/GMC		
Equinox/Terrain FWD/AWD	3.6L V-6	3,500 (t)
Express/Savana 2500 SWB CV	4.8L V-8	7,400
Express/Savana 2500 SWB CV	6.0L V-8	10,000
Express/Savana 2500 SWB CV	6.6L V-8 TD	10,000
Express/Savana 2500 LWB CV	4.8L V-8	7,200
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	6.6L V-8 TD	10,000
Express/Savana 2500 SWB PV	6.0L V-8	6,700
Express/Savana 2500 SWB PV	6.0L V-8	9,800
Express/Savana 3500 SWB CV	4.8L V-8	7,400
Express/Savana 3500 SWB CV	6.0L V-8	10,000
Express/Savana 3500 SWB CV	6.6L V-8 TD	10,000
Express/Savana 3500 SWB PV	6.0L V-8	9,700
Express/Savana 3500 SWB PV	6.6L V-8 TD	10,000
Express/Savana 3500 LWB CV	4.8L V-8	7,100
Express/Savana 3500 LWB CV	6.0L V-8	10,000
Express/Savana 3500 LWB CV	6.6L V-8 TD	10,000
Express/Savana 3500 LWB PV	6.0L V-8	9,300
Express/Savana 3500 LWB PV	6.6L V-8 TD	9,700
Traverse/Acadia FWD	3.6L V-6	2,000

Traverse/Acadia FWD	3.6L V-6	5,200 (t)
Traverse/Acadia AWD	3.6L V-6	2,000
Traverse/Acadia AWD	3.6L V-6	5,200 (t)

COLORADO/CANYON

All models	2.5L I-4	3,500
All models	3.6L V-6	3,500
All models	3.6L V-6	7,000 (t)

SILVERADO/SIERRA 1500 REGULAR CAB

1500 Std Bed 2WD	4.3L V-6	6,100 (e)
1500 Std Bed 2WD	5.3L V-8	7,000 (b)
1500 Std Bed 2WD	5.3L V-8	9,000 (g)
1500 Std Bed 4WD	4.3L V-6	7,600 (g)
1500 Std Bed 4WD	5.3L V-8	6,700 (b)
1500 Std Bed 4WD	5.3L V-8	8,700 (g)
1500 LB 2WD	4.3L V-6	5,900 (e)
1500 LB 2WD	5.3L V-8	6,800 (b)
1500 LB 2WD	5.3L V-8	9,800 (g)
1500 LB 4WD	4.3L V-6	7,400 (g)
1500 LB 4WD	5.3L V-8	6,500 (b)
1500 LB 4WD	5.3L V-8	9,500 (g)

SILVERADO/SIERRA 1500 DOUBLE CAB

1500 2WD	4.3L V-6	5,600 (g)
1500 2WD	5.3L V-8	6,500 (b)
1500 2WD	5.3L V-8	9,500 (g)
1500 2WD	5.3L V-8	11,200 (i,t)
1500 2WD	6.2L V-8	9,500 (e)
1500 2WD	6.2L V-8	12,000 (g,t)
1500 4WD	4.3L V-6	7,200 (g)
1500 4WD	5.3L V-8	6,200 (b)
1500 4WD	5.3L V-8	9,200 (g)
1500 4WD	5.3L V-8	11,000 (i,t)
1500 4WD	6.2L V-8	9,200 (g)
1500 4WD	6.2L V-8	11,900 (g,t)

SILVERADO/SIERRA 1500 CREW CAB

1500 SB 2WD	4.3L V-6	5,600 (e)
1500 SB 2WD	5.3L V-8	6,400 (b)
1500 SB 2WD	5.3L V-8	9,400 (g)
1500 SB 2WD	5.3L V-8	11,000 (i,t)
1500 SB 2WD	6.2L V-8	9,400 (e)
1500 SB 2WD	6.2L V-8	11,900 (g,t)
1500 SB 4WD	4.3L V-6	7,100 (g)

1500 SB 4WD	5.3L V-8	6,200 (b)
1500 SB 4WD	5.3L V-8	9,200 (g)
1500 SB 4WD	5.3L V-8	10,900 (i,t)
1500 SB 4WD	6.2L V-8	9,200 (g)
1500 SB 4WD	6.2L V-8	11,800 (g,t)
1500 Std Bed 2WD	4.3L V-6	5,500 (e)
1500 Std Bed 2WD	5.3L V-8	6,400 (b)
1500 Std Bed 2WD	5.3L V-8	9,400 (g)
1500 Std Bed 2WD	5.3L V-8	11,000 (i,t)
1500 Std Bed 2WD	6.2L V-8	9,300 (e)
1500 Std Bed 2WD	6.2L V-8	11,900 (g,t)
1500 Std Bed 4WD	4.3L V-6	7,000 (g)
1500 Std Bed 4WD	5.3L V-8	6,100 (b)
1500 Std Bed 4WD	5.3L V-8	9,100 (g)
1500 Std Bed 4WD	5.3L V-8	10,800 (i,t)
1500 Std Bed 4WD	6.2L V-8	9,200 (e)
1500 Std Bed 4WD	6.2L V-8	11,700 (g,t)

SILVERADO/SIERRA 2500 REGULAR CAB

CONVENTIONAL/FIFTH-WHEEL TOWING		
2500 LB 2WD	6.0L V-8	13,000/14,800 (k)
2500 LB 2WD	6.6L V-8 TD	13,000/17,900 (i)
2500 LB 4WD	6.0L V-8	13,000/14,500 (k)
2500 LB 4WD	6.6L V-8 TD	13,000/17,600 (i)

SILVERADO/SIERRA 2500 DOUBLE CAB

CONVENTIONAL/FIFTH-WHEEL TOWING		
2500 Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
2500 Std Bed 2WD	6.6L V-8 TD	13,000/17,600 (i)
2500 Std Bed 4WD	6.0L V-8	13,000/14,200 (k)
2500 Std Bed 4WD	6.6L V-8 TD	13,000/17,300 (i)
2500 LB 2WD	6.0L V-8	13,000/14,400 (k)
2500 LB 2WD	6.6L V-8 TD	13,000/17,500 (i)
2500 LB 4WD	6.0L V-8	13,000/14,100 (k)
2500 LB 4WD	6.6L V-8 TD	13,000/17,200 (i)

SILVERADO/SIERRA 2500 CREW CAB

CONVENTIONAL/FIFTH-WHEEL TOWING*		
2500 Std Bed 2WD	6.0L V-8	9,800 (i)
2500 Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 Std Bed 2WD	6.6L V-8 TD	13,000/14,300 (i)
2500 Std Bed 4WD	6.0L V-8	9,500 (i)
2500 Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 Std Bed 4WD	6.6L V-8 TD	13,000/14,000 (i)

* Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

2015 TOW RATINGS

SILVERADO/SIERRA 3500 REGULAR CAB CONVENTIONAL/FIFTH-WHEEL TOWING

3500 SRW 2WD	6.0L V-8	13,000/14,600 (k)
3500 SRW 4WD	6.0L V-8	14,100/14,300 (k)
3500 SRW 4WD	6.6L V-8 TD	13,000/17,500 (i)
3500 DRW 2WD	6.0L V-8	14,200 (k)
3500 DRW 4WD	6.0L V-8	13,900 (k)
3500 DRW 4WD	6.6L V-8 TD	16,000/23,200 (i)

SILVERADO/SIERRA 3500 DOUBLE CAB CONVENTIONAL/FIFTH-WHEEL TOWING

3500 LB SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 LB SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 LB SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 LB SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 LB DRW 2WD	6.0L V-8	13,800 (k)
3500 LB DRW 2WD	6.6L V-8 TD	16,500/23,000 (i)
3500 LB DRW 4WD	6.0L V-8	13,500 (k)
3500 LB DRW 4WD	6.6L V-8 TD	18,000/22,800 (i)

SILVERADO/SIERRA 3500 CREW CAB CONVENTIONAL/FIFTH-WHEEL TOWING*

3500 Std Bed SRW 2WD	6.0L V-8	13,000/14,100 (k)
3500 Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,400 (i)
3500 Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,100 (i)
3500 LB SRW 2WD	6.0L V-8	13,000/14,000 (k)
3500 LB SRW 2WD	6.6L V-8 TD	13,000/17,300 (i)
3500 LB SRW 4WD	6.0L V-8	13,000/13,700 (k)
3500 LB SRW 4WD	6.6L V-8 TD	15,000/16,900 (i)
3500 LB DRW 2WD	6.0L V-8	13,700 (k)
3500 LB DRW 2WD	6.6L V-8 TD	16,500/22,900 (i)
3500 LB DRW 4WD	6.0L V-8	13,300 (k)
3500 LB DRW 4WD	6.6L V-8 TD	19,600/22,600 (i)

* Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

TAHOE, SUBURBAN, YUKON/YUKON XL, YUKON/YUKON XL DENALI 1500 SERIES

Tahoe/Yukon 2WD	5.3L V-8	6,600/6,500 (b)
Tahoe/Yukon 2WD	5.3L V-8	8,600/8,500 (g)
Tahoe/Yukon 4WD	5.3L V-8	6,400/6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,400/8,200 (g)
Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g)

Yukon Denali 2WD	6.2L V-8	8,400
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	8,100
Yukon XL Denali AWD	6.2L V-8	7,900

CHRYSLER

Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD	3.6L V-6	2,500 (t)
Dodge Journey AWD	3.6L V-6	2,500 (t)
Chrysler Town & Country	3.6L V-6	3,600 (t)
Dodge Durango RWD	3.6L V-6	6,200
Dodge Durango RWD	5.7L V-8	7,400
Dodge Durango AWD	3.6L V-6	6,200
Dodge Durango AWD	5.7L V-8	7,200

FORD

EDGE, ESCAPE, EXPEDITION, EXPLORER, FLEX

Edge	3.5L V-6	3,500 (t)
Edge	3.7L V-6	2,000*
Escape	1.6L TC	2,000
Escape	2.0L TC	3,500 (t)
Expedition 2WD	3.5L V-6 TC	6,600
Expedition 2WD	3.5L V-6 TC	9,200 (t)
Expedition 4WD	3.5L V-6 TC	6,600
Expedition 4WD	3.5L V-6 TC	9,000 (t)
Expedition EL 2WD	3.5L V-6 TC	6,600
Expedition EL 2WD	3.5L V-6 TC	9,200 (t)
Expedition EL 4WD	3.5L V-6 TC	6,600
Expedition EL 4WD	3.5L V-6 TC	9,100 (t)
Explorer	2.0L TC	2,000
Explorer	3.5L V-6	2,000
Explorer	3.5L V-6	5,000 (t)
Flex	All	4,500 (t)

* Sport model.

F-150 REGULAR CAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 SB 2WD	3.5L V-6	5,100/5,000 (h)
F-150 SB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 SB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SB 2WD	2.7L V-6 TC	8,500/8,200 (i)
F-150 SB 2WD	5.0L V-8	8,400/8,300 (f)
F-150 SB 2WD	5.0L V-8	9,200/9,100 (h)
F-150 SB 4WD	3.5L V-6	7,500/7,400 (i)
F-150 SB 4WD	2.7L V-6 TC	7,600/7,400 (h)
F-150 SB 4WD	2.7L V-6 TC	8,400/7,600 (i)
F-150 SB 4WD	5.0L V-8	8,300/8,200 (f/i)
F-150 SB 4WD	5.0L V-8	9,700/9,300 (i)

F-150 LB 2WD	3.5L V-6	5,100/5,000 (h)
F-150 LB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 LB 2WD	2.7L V-6 TC	8,500/8,400 (i)*
F-150 LB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 LB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 LB 2WD	5.0L V-8	11,100/11,000 (i)
F-150 LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 LB 2WD	3.5L V-6 TC	12,200/12,100 (h)
F-150 LB 4WD	3.5L V-6	7,400/7,300 (i)
F-150 LB 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 LB 4WD	2.7L V-6 TC	8,400/8,300 (i)*
F-150 LB 4WD	5.0L V-8	9,100/9,000 f/h
F-150 LB 4WD	5.0L V-8	11,100/11,000 (i)**
F-150 LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h)
F-150 LB 4WD	3.5L V-6 TC	12,000/11,900 (h)

F-150 SUPERCAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 Std Bed 2WD	3.5L V-6	5,100/5,000 (h)
F-150 Std Bed 2WD	3.5L V-6	7,400/7,300 (i)
F-150 Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i)*
F-150 Std Bed 2WD	5.0L V-8	9,200/9,100 (f)
F-150 Std Bed 2WD	5.0L V-8	10,200/10,100 (h)
F-150 Std Bed 2WD	3.5L V-6 TC	10,800/10,600 (c)
F-150 Std Bed 2WD	3.5L V-6 TC	12,100/10,600 (h)
F-150 Std Bed 4WD	3.5L V-6	7,200/7,100 (i)
F-150 Std Bed 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 Std Bed 4WD	2.7L V-6 TC	8,200/8,000 (i)
F-150 Std Bed 4WD	5.0L V-8	9,100/9,000 (f)
F-150 Std Bed 4WD	5.0L V-8	9,200/9,100 (h)
F-150 Std Bed 4WD	5.0L V-8	11,000/10,800 (i)
F-150 Std Bed 4WD	3.5L V-6 TC	10,700/10,500 (f/h)
F-150 Std Bed 4WD	3.5L V-6 TC	11,800/10,500 (h)
F-150 Raptor 4WD	6.2L V-8	6,000
F-150 LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 LB 2WD	2.7L V-6 TC	8,200/8,100 (i)*
F-150 LB 2WD	5.0L V-8	9,200/9,100 (f)
F-150 LB 2WD	5.0L V-8	10,200/10,100 (h)
F-150 LB 2WD	5.0L V-8	11,000/10,900 (i)
F-150 LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 LB 2WD	3.5L V-6 TC	11,900/11,800 (h)
F-150 LB 4WD	5.0L V-8	9,000/8,900 (f)
F-150 LB 4WD	5.0L V-8	9,100/9,000 (h)
F-150 LB 4WD	5.0L V-8	10,900/10,700 (i)*
F-150 LB 4WD	3.5L V-6 TC	10,800/10,500 (f/h)
F-150 LB 4WD	3.5L V-6 TC	11,700/10,500 (h)
F-150 LB 4WD	3.5L V-6 TC	11,600 (i)

F-150 SUPERCREW CAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 SB 2WD	3.5L V-6	7,300/7,200 (i)
F-150 SB 2WD	2.7L V-6 TC	7,600/7,400 (f)
F-150 SB 2WD	2.7L V-6 TC	8,200/8,100 (i)
F-150 SB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 SB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SB 2WD	3.5L V-6 TC	10,700/10,200 (c)
F-150 SB 2WD	3.5L V-6 TC	11,900(h)/NA
F-150 SB 4WD	3.5L V-6	7,100/7,000 (i)
F-150 SB 4WD	2.7L V-6 TC	7,600/7,300 (h)
F-150 SB 4WD	2.7L V-6 TC	8,100/7,900 (i)*
F-150 SB 4WD	5.0L V-8	9,000/8,900 (f)
F-150 SB 4WD	5.0L V-8	9,100/9,000 (h)
F-150 SB 4WD	5.0L V-8	10,900/10,300 (i)
F-150 SB 4WD	3.5L V-6 TC	10,700/9,900 (f/h)
F-150 SB 4WD	3.5L V-6 TC	11,500/9,900 (h)
F-150 Raptor	6.2L V-8	8,000
F-150 Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (i)
F-150 Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (h)*
F-150 Std Bed 2WD	5.0L V-8	9,100/9,000 (f)
F-150 Std Bed 2WD	5.0L V-8	10,100/10,000 (h)
F-150 Std Bed 2WD	5.0L V-8	10,900/10,800 (i)
F-150 Std Bed 2WD	3.5L V-6 TC	10,700/10,400 (c)
F-150 Std Bed 2WD	3.5L V-6 TC	11,900/11,700 (h)
F-150 Std Bed 4WD	5.0L V-8	8,900/8,800 (f)
F-150 Std Bed 4WD	5.0L V-8	9,100/9,000 (h)
F-150 Std Bed 4WD	5.0L V-8	10,800/10,600 (i)
F-150 Std Bed 4WD	3.5L V-6 TC	10,700/10,100 (f/h)
F-150 Std Bed 4WD	3.5L V-6 TC	11,700/11,400 (i)**

NOTE: F-150 ratings may change slightly depending on the wheel and tire package and other factors. See dealer for details.

* Requires mid-payload upgrade package.

** Requires heavy-duty payload package.

F-250/F-350/F-450 SUPER DUTY, CONVENTIONAL TOWING

F-250/350 Reg Cab SRW 2WD	6.2L V-8	12,500 (All)
F-250/350 Reg Cab SRW 2WD	6.7L V-8 TD	12,500 (All)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,400 (i)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,500 (l)
F-250/350 Reg Cab SRW 4WD	6.7L V-8 TD	12,500 (All)
F-350 Reg Cab DRW 2WD	6.2L V-8	12,900 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	15,900 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	19,000 (All)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,400 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	15,400 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	19,000 (All)
F-250/F350 SuperCab SRW 2WD	6.2L V-8	12,500 (All)

2015 TOW RATINGS

F-250/F350 SuperCab SRW 2WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab SRW 4WD	6.2L V-8	12,100 (i)
F-250 SuperCab SRW 4WD	6.2L V-8	12,200 (i)	F-350 SuperCab SRW 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SRW 4WD	6.2L V-8	12,500 (l)	F-350 SuperCab SRW 4WD	6.7L V-8 TD	15,900 (f/h)
F-250 SuperCab SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab DRW 2WD	6.2L V-8	12,400 (i)
F-350 SuperCab SRW 4WD	6.2L V-8	12,200 (i)	F-350 SuperCab DRW 2WD	6.2L V-8	15,400 (l)
F-350 SuperCab SRW 4WD	6.2L V-8	12,500 (l)	F-350 SuperCab DRW 2WD	6.7L V-8 TD	24,000 (i)
F-350 SuperCab SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 SuperCab DRW 4WD	6.2L V-8	11,900 (i)
F-350 SuperCab DRW 2WD	6.2L V-8	12,500 (i)	F-350 SuperCab DRW 4WD	6.2L V-8	14,900 (l)
F-350 SuperCab DRW 2WD	6.2L V-8	15,500 (l)	F-350 SuperCab DRW 4WD	6.7L V-8 TD	23,600 (i)
F-350 SuperCab DRW 2WD	6.7L V-8 TD	19,000 (All)	F-250/F-350 CC SRW 2WD	6.2L V-8	12,200 (i)
F-350 SuperCab DRW 4WD	6.2L V-8	12,100 (i)	F-250/F-350 CC SRW 2WD	6.2L V-8	15,200 (l)
F-350 SuperCab DRW 4WD	6.2L V-8	15,100 (l)	F-250/F-350 CC SRW 2WD	6.7L V-8 TD	16,100 (f/h)
F-350 SuperCab DRW 4WD	6.7L V-8 TD	19,000 (All)	F-250 CC SRW 4WD	6.2L V-8	11,900 (i)
F-250/350 CC SRW 2WD	6.2L V-8	12,400 (i)	F-250 CC SRW 4WD	6.2L V-8	14,900 (l)
F-250/350 CC SRW 2WD	6.2L V-8	12,500 (l)	F-250 CC SRW 4WD	6.7L V-8 TD	15,100 (f/h)
F-250/350 CC SRW 2WD	6.7L V-8 TD	14,000 (All)	F-350 CC SRW 4WD	6.2L V-8	11,800 (i)
F-250 CC SRW 4WD	6.2L V-8	12,000 (i)	F-350 CC SRW 4WD	6.2L V-8	14,800 (l)
F-250 CC SRW 4WD	6.2L V-8	12,500 (l)	F-350 CC SRW 4WD	6.7L V-8 TD	15,700 (f/h)
F-250 CC SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 CC DRW 2WD	6.2L V-8	12,100 (i)
F-350 CC SRW 4WD	6.2L V-8	12,100 (i)	F-350 CC DRW 2WD	6.2L V-8	15,100 (l)
F-350 CC SRW 4WD	6.2L V-8	12,500 (l)	F-350 CC DRW 2WD	6.7L V-8 TD	23,800 (i)
F-350 CC SRW 4WD	6.7L V-8 TD	14,000 (All)	F-350 CC DRW 4WD	6.2L V-8	11,700 (i)
F-350 CC DRW 2WD	6.2L V-8	12,200 (i)	F-350 CC DRW 4WD	6.2L V-8	14,700 (l)
F-350 CC DRW 2WD	6.2L V-8	15,200 (l)	F-350 CC DRW 4WD	6.7L V-8 TD	23,000 (i)
F-350 CC DRW 2WD	6.7L V-8 TD	19,500 (All)	F-350 CC DRW 4WD	6.7L V-8 TD	26,500 (i)
F-350 CC DRW 4WD	6.2L V-8	11,800 (i)	F-450 CC DRW 4WD	6.7L V-8 TD	26,500 (l)
F-350 CC DRW 4WD	6.2L V-8	14,800 (l)			
F-350 CC DRW 4WD	6.7L V-8 TD	19,000 (All)			
F-450 DRW 4WD	6.7L V-8 TD	19,000 (All)			

TRANSIT VAN T-150/T-250/T-350

T-150/250 MWB LR	3.7L V-6	5,300 (i)	T-150/250 MWB LR	3.7L V-6	6,600 (k)
T-150/250 MWB LR	3.7L V-6	6,600 (k)	T-150/250 MWB LR	3.5L V-6 TC	5,600 (f)
T-150/250 MWB LR	3.5L V-6 TC	5,600 (f)	T-150/250 MWB LR	3.5L V-6 TC	7,000 (i)
T-150/250 MWB LR	3.5L V-6 TC	7,000 (i)	T-150/250 MWB LR	3.2L I-5 TD	4,700 (f)
T-150/250 MWB LR	3.2L I-5 TD	4,700 (f)	T-150/250 MWB LR	3.2L I-5 TD	7,500 (i)
T-150/250 MWB LR	3.2L I-5 TD	7,500 (i)	T-150/250 MWB MR	3.7L V-6	5,200 (i)
T-150/250 MWB MR	3.7L V-6	5,200 (i)	T-150/250 MWB MR	3.7L V-6	6,600 (k)
T-150/250 MWB MR	3.7L V-6	6,600 (k)	T-150/250 MWB MR	3.5L V-6 TC	5,600 (f)
T-150/250 MWB MR	3.5L V-6 TC	5,600 (f)	T-150/250 MWB MR	3.5L V-6 TC	7,000 (i)
T-150/250 MWB MR	3.5L V-6 TC	7,000 (i)	T-150/250 MWB MR	3.2L I-5 TD	4,600 (f)
T-150/250 MWB MR	3.2L I-5 TD	4,600 (f)	T-150/250 MWB MR	3.2L I-5 TD	7,500 (i)
T-150/250 MWB MR	3.2L I-5 TD	7,500 (i)	T-150/250 LWB LR	3.7L V-6	5,200 (i)
T-150/250 LWB LR	3.7L V-6	5,200 (i)	T-150/250 LWB LR	3.7L V-6	6,500 (k)
T-150/250 LWB LR	3.7L V-6	6,500 (k)	T-150/250 LWB LR	3.5L V-6 TC	5,500 (f)
T-150/250 LWB LR	3.5L V-6 TC	5,500 (f)	T-150/250 LWB LR	3.5L V-6 TC	6,900 (i)
T-150/250 LWB LR	3.5L V-6 TC	6,900 (i)	T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)
T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)	T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)
T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)	T-150/250 LWB MR	3.7L V-6	5,100 (i)
T-150/250 LWB MR	3.7L V-6	5,100 (i)	T-150/250 LWB MR	3.7L V-6	6,400 (k)
T-150/250 LWB MR	3.7L V-6	6,400 (k)	T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)
T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)	T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)
T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)			

F-250/F-350/F-450 SUPER DUTY, FIFTH-WHEEL TOWING

F-250/350 Reg Cab SRW 2WD	6.2L V-8	12,700 (i)
F-250/350 Reg Cab SRW 2WD	6.2L V-8	15,700 (l)
F-250/350 Reg Cab SRW 2WD	6.7L V-8 TD	16,600 (f/h)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	12,300 (i)
F-250/350 Reg Cab SRW 4WD	6.2L V-8	15,300 (l)
F-250/350 Reg Cab SRW 4WD	6.7L V-8 TD	16,200 (f/h)
F-350 Reg Cab DRW 2WD	6.2L V-8	12,800 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	15,800 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	24,500 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,300 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	15,300 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	24,100 (i)
F-250/F-350 SuperCab SRW 2WD	6.2L V-8	12,500 (i)
F-250/F-350 SuperCab SRW 2WD	6.2L V-8	15,500 (l)
F-250/F-350 SuperCab SRW 2WD	6.7L V-8 TD	16,300 (f/h)
F-250 SuperCab SRW 4WD	6.2L V-8	12,100 (i)
F-250 SuperCab SRW 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SRW 4WD	6.7L V-8 TD	15,900 (f/h)

T-150/250 LWB MR	3.2L I-5 TD	4,600 (f)
T-150/250 LWB MR	3.2L I-5 TD	7,500 (i)
T-250 LWB HR	3.7L V-6	5,000 (i)
T-250 LWB HR	3.7L V-6	6,300 (k)
T-250 LWB HR	3.5L V-6 TC	5,300 (f)
T-250 LWB HR	3.5L V-6 TC	6,700 (i)
T-250 LWB HR	3.2L I-5 TD	4,400 (f)
T-250 LWB HR	3.2L I-5 TD	7,300 (i)
T-350 LWB LR	3.7L V-6	5,200 (i)
T-350 LWB LR	3.7L V-6	6,500 (k)
T-350 LWB LR	3.5L V-6 TC	5,500 (f)
T-350 LWB LR	3.5L V-6 TC	6,900 (i)
T-350 LWB MR	3.7L V-6	5,100 (i)
T-350 LWB MR	3.7L V-6	6,400 (k)
T-350 LWB MR	3.5L V-6 TC	5,400 (f)
T-350 LWB MR	3.5L V-6 TC	6,800 (i)
T-350 LWB HR	3.7L V-6	5,000 (i)
T-350 LWB HR	3.7L V-6	6,300 (k)
T-350 LWB HR	3.5L V-6 TC	5,300 (f)
T-350 LWB HR	3.5L V-6 TC	6,700 (i)
T-250 LWB EL HR	3.7L V-6	4,800 (i)
T-250 LWB EL HR	3.7L V-6	6,100 (k)
T-250 LWB EL HR	3.5L V-6 TC	5,100 (f)
T-250 LWB EL HR	3.5L V-6 TC	6,500 (i)
T-250 LWB EL HR	3.2L I-5 TD	4,200 (f)
T-250 LWB EL HR	3.2L I-5 TD	7,100 (i)
T-350 LWB EL HR	3.7L V-6	4,800 (i)
T-350 LWB EL HR	3.7L V-6	6,100 (k)
T-350 LWB EL HR	3.5L V-6 TC	5,100 (f)
T-350 LWB EL HR	3.5L V-6 TC	6,500 (i)
T-350 LWB EL HR	3.5L V-6 TC	6,700 (i)
T-350 LWB EL HR	3.2L I-5 TD	4,000 (f)
T-350 LWB EL HR	3.2L I-5 TD	6,900 (i)

TRANSIT WAGON T-150/T-350

T-150 MWB LR	3.7L V-6	4,700 (i)
T-150 MWB LR	3.7L V-6	5,100 (k)
T-150 MWB LR	3.5L V-6 TC	5,000 (f/i)
T-150 MWB MR	3.7L V-6	4,600 (i)
T-150 MWB MR	3.7L V-6	5,000 (k)
T-150 MWB MR	3.5L V-6 TC	5,000 (f/i)
T-350 LWB LR	3.7L V-6	4,200 (i)
T-350 LWB LR	3.7L V-6	4,600 (k)
T-350 LWB LR	3.5L V-6 TC	4,600 (f/i)
T-350 LWB LR	3.2L I-5 TD	3,700 (f)
T-350 LWB LR	3.2L I-5 TD	4,300 (i)
T-350 LWB MR	3.7L V-6	4,100 (i)
T-350 LWB MR	3.7L V-6	4,500 (k)
T-350 LWB MR	3.5L V-6 TC	4,500 (f,i)
T-350 LWB MR	3.2L I-5 TD	3,600 (f)

T-350 LWB MR	3.2L I-5 TD	4,200 (i)
T-350 LWB HR	3.7L V-6	4,000 (i)
T-350 LWB HR	3.7L V-6	4,400 (k)
T-350 LWB HR	3.5L V-6 TC	4,400 (f,i)
T-350 LWB HR	3.2L I-5 TD	3,500 (f)
T-350 LWB HR	3.2L I-5 TD	4,300 (i)
T-350 LWB EL EHR	3.5L V-6 TC	3,800 (f,i)
T-350 LWB EL EHR	3.2L I-5 TD	2,900 (f)
T-350 LWB EL EHR	3.2L I-5 TD	3,500 (i)

HONDA

Odyssey	3.5L V-6	3,500
Pilot 2WD	3.5L V-6	2,000
Pilot 4WD	3.5L V-6	4,500
Ridgeline	3.5L V-6	5,000

HYUNDAI

Santa Fe	2.4L I-4	2,000
Santa Fe	2.0L TC	3,500
Santa Fe	3.3L V-6	5,000
Tucson	All	2,000

INFINITI

QX50	3.7L V-6	2,000
QX60	3.5L V-6	5,000
QX70	3.7L V-6	2,000
QX70	5.0L V-8	3,500
QX80	5.6L V-8	8,500

JEEP

Cherokee	2.4L I-4	2,000
Cherokee	3.2L V-6	4,500 (t)
Grand Cherokee 2WD	3.6L V-6	7,400
Grand Cherokee 4WD	3.6L V-6	7,200
Grand Cherokee 2WD	5.7L V-8	7,400
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee 2WD	3.0L V-6 TD	7,400
Grand Cherokee 4WD	3.0L V-6 TD	7,200
Renegade	2.4L TC	2,000
Wrangler (All)	3.6L V-6	2,000

KIA

Sorento	3.5L V-6	3,500
Sportage	All	2,000

LAND ROVER

Discovery Sport	2.0L I-4 TC	3,500
Land Rover LR2	2.0L I-4 TC	3,500
Land Rover LR4	3.0L V-6 SC	7,716

2015 TOW RATINGS

Range Rover	3.0L V-6 SC	7,716
Range Rover Sport	3.0L V-6 SC	7,716

LEXUS

GX 470	4.6L V-8	6,500
LX 570	5.7L V-8	7,000
NX 200t	2.0L TC	2,000
RX 350	3.5L V-6	3,500
RX 450h AWD Hybrid	3.5L V-6	3,500

LINCOLN

MKT	3.7L V-6	2,000
MKT	3.5L V-6 TC	4,500
MKX	3.7L V-6	3,500
Navigator 2WD	3.5L V-6 TC	6,200
Navigator 2WD	3.5L V-6 TC	9,000 (t)
Navigator 4WD	3.5L V-6 TC	6,200
Navigator 4WD	3.5L V-6 TC	8,600 (t)
Navigator L 2WD	3.5L V-6 TC	6,200
Navigator L 2WD	3.5L V-6 TC	8,500 (t)
Navigator L 4WD	3.5L V-6 TC	6,200
Navigator L 4WD	3.5L V-6 TC	8,300 (t)

MAZDA

CX5	2.0L	2,000
CX9 (All)	3.7L V-6	3,500

MERCEDES-BENZ

G550	5.5L V-8	7,716
G63 AMG	5.5L V-8 TC	7,716
GL (All)	All	7,500
GLK250 BlueTec	2.5L I-4 TD	3,500
GLK350	3.5L V-6	3,500
ML250 BlueTec	2.1L TD	6,600
ML350	3.5L V-6	6,600
ML400	3.0L V-6 TC	7,200
ML63 AMG	5.5L V-8 TC	7,200

MITSUBISHI

Outlander 2WD/4WD	3.0L V-6	3,500
-------------------	----------	-------

NISSAN

Armada 2WD	5.6L V-8	8,200
Armada 4WD	5.6L V-8	9,000
Frontier CC 2WD	4.0L V-6	6,300
Frontier CC 4WD	4.0L V-6	6,100
Frontier KC 2WD	4.0L V-6	6,300
Frontier KC 4WD	4.0L V-6	6,100
Murano	3.5L V-6	3,500
Pathfinder	3.5L V-6	5,000

Quest	3.5L V-6	3,500
Titan KC 2WD SB S	5.6L V-8	7,400
Titan KC 4WD SB S	5.6L V-8	7,400
Titan KC 2WD SB SV	5.6L V-8	9,500
Titan KC 4WD SB SV	5.6L V-8	9,400
Titan KC 4WD SB PRO 4X	5.6L V-8	9,300
Titan CC 2WD S	5.6L V-8	7,400
Titan CC 4WD S	5.6L V-8	7,300
Titan CC 2WD SV	5.6L V-8	9,400
Titan CC 4WD SV	5.6L V-8	9,300
Titan CC 4WD PRO 4X	5.6L V-8	9,300
Titan CC 4WD SL	5.6L V-8	9,200
Titan CC 4WD SL	5.6L V-8	9,100
Titan CC 2WD LB	5.6L V-8	9,300
Titan CC 4WD LB	5.6L V-8	9,100
Xterra	4.0L V-6	5,000

PORSCHE

Cayenne	All	7,716
---------	-----	-------

RAM

1500 REGULAR CAB

1500 SB 2WD	3.6L V-6	4,960 (a8,d)
1500 SB 2WD	3.6L V-6	7,310 (a8,h)
1500 SB 2WD	5.7L V-8	7,160 (a6,d)
1500 SB 2WD	5.7L V-8	9,140 (a6,j)
1500 SB 2WD	5.7L V-8	8,630 (a8,d)
1500 SB 2WD	5.7L V-8	9,180 (a8,j)
1500 SB 4WD	3.6L V-6	4,770 (a8,d)
1500 SB 4WD	3.6L V-6	7,060 (a8,h)
1500 SB 4WD	5.7L V-8	9,050 (a6,h)
1500 SB 4WD	5.7L V-8	8,970 (a6,j)
1500 SB 4WD	5.7L V-8	8,420 (a8,d)
1500 SB 4WD	5.7L V-8	8,970 (a8,j)
1500 LB 2WD	3.6L V-6	4,790 (a8,d)
1500 LB 2WD	3.6L V-6	7,280 (a8,h)
1500 LB 2WD	5.7L V-8	7,050 (a6,d)
1500 LB 2WD	5.7L V-8	9,100 (a6,h)
1500 LB 2WD	5.7L V-8	10,650 (a6,j)
1500 LB 2WD	5.7L V-8	8,490 (a8,d)
1500 LB 2WD	5.7L V-8	10,640 (a8,j)
1500 LB 2WD	3.0L V-6 TD	8,240 (a8,h)
1500 LB 2WD	3.0L V-6 TD	9,200 (a8,j)
1500 LB 4WD	3.6L V-6	4,610 (a8,d)
1500 LB 4WD	3.6L V-6	7,110 (a8,h)
1500 LB 4WD	5.7L V-8	8,800 (a6,h)
1500 LB 4WD	5.7L V-8	10,430 (a6,j)
1500 LB 4WD	5.7L V-8	8,300 (a8,d)
1500 LB 4WD	5.7L V-8	10,450 (a8,j)

1500 LB 4WD	3.0L V-6 TD	8,030 (a8,h)
1500 LB 4WD	3.0L V-6 TD	9,030 (a8,j)

1500 CREW CAB

1500 SB 2WD	3.6L V-6	4,490 (a8,d)
1500 SB 2WD	3.6L V-6	7,480 (a8,h)
1500 SB 2WD	5.7L V-8	6,770 (a6,d)
1500 SB 2WD	5.7L V-8	8,820 (a6,h)
1500 SB 2WD	5.7L V-8	10,370 (a6,i)
1500 SB 2WD	5.7L V-8	8,170 (a8,d)
1500 SB 2WD	5.7L V-8	10,320 (a8,j)
1500 SB 2WD	3.0L V-6 TD	7,840 (a8,h)
1500 SB 2WD	3.0L V-6 TD	8,840 (a8,j)
1500 SB 4WD	3.6L V-6	4,190 (a8,d)
1500 SB 4WD	3.6L V-6	7,180 (a8,h)
1500 SB 4WD	5.7L V-8	8,610 (a6,h)
1500 SB 4WD	5.7L V-8	10,160 (a6,i)
1500 SB 4WD	5.7L V-8	8,000 (a8,d)
1500 SB 4WD	5.7L V-8	10,150 (a8,j)
1500 SB 4WD	3.0L V-6 TD	7,660 (a8,h)
1500 SB 4WD	3.0L V-6 TD	8,560 (a8,j)
1500 Std Bed 2WD	5.7L V-8	6,740 (a6,d)
1500 Std Bed 2WD	5.7L V-8	8,790 (a6,h)
1500 Std Bed 2WD	5.7L V-8	10,340 (a6,i)
1500 Std Bed 2WD	5.7L V-8	8,070 (a8,d)
1500 Std Bed 2WD	5.7L V-8	10,220 (a8,j)
1500 Std Bed 2WD	3.0L V-6 TD	7,880 (a8,h)
1500 Std Bed 2WD	3.0L V-6 TD	8,880 (a8,h)
1500 Std Bed 4WD	5.7L V-8	8,550 (a6,h)
1500 Std Bed 4WD	5.7L V-8	10,100 (a6,j)
1500 Std Bed 4WD	5.7L V-8	7,800 (a8,d)
1500 Std Bed 4WD	5.7L V-8	9,850 (a8,j)
1500 Std Bed 4WD	3.0L V-6 TD	7,590 (a8,h)
1500 Std Bed 4WD	3.0L V-6 TD	8,390 (a8,j)

1500 QUAD CAB

1500 2WD	3.6L V-6	4,620 (a8,d)
1500 2WD	3.6L V-6	7,600 (a8,h)
1500 2WD	5.7L V-8	6,790 (a6,d)
1500 2WD	5.7L V-8	8,840 (a6,h)
1500 2WD	5.7L V-8	10,390 (a6,i)
1500 2WD	5.7L V-8	8,210 (a8,d)
1500 2WD	5.7L V-8	10,360 (a8,j)
1500 2WD	3.0L V-6 TD	7,950 (a8,h)
1500 2WD	3.0L V-6 TD	8,950 (a8,j)
1500 4WD	3.6L V-6	4,450 (a8,d)
1500 4WD	3.6L V-6	7,440 (a8,h)

1500 4WD	5.7L V-8	8,670 (a6,h)
1500 4WD	5.7L V-8	10,220 (a6,j)
1500 4WD	5.7L V-8	8,060 (a8,d)
1500 4WD	5.7L V-8	10,210 (a8,j)
1500 4WD	3.0L V-6 TD	7,690 (a8,h)
1500 4WD	3.0L V-6 TD	8,690 (a8,j)

2500 REGULAR CAB

2500 LB 2WD	5.7L V-8	11,870 (a6,i)
2500 LB 2WD	5.7L V-8	13,870 (a6,k)
2500 LB 2WD	6.4L V-8	13,300 (a6,i)
2500 LB 2WD	6.4L V-8	16,300 (a6,k)
2500 LB 2WD	6.7L I-6 TD	16,900 (m6,g)
2500 LB 2WD	6.7L I-6 TD	17,970 (a6,g)
2500 LB 4WD	5.7L V-8	11,500 (a6,i)
2500 LB 4WD	5.7L V-8	13,500 (a6,k)
2500 LB 4WD	6.4L V-8	12,930 (a6,i)
2500 LB 4WD	6.4L V-8	15,930 (a6,k)
2500 LB 4WD	6.7L I-6 TD	16,440 (m6,g)
2500 LB 4WD	6.7L I-6 TD	17,520 (a6,g)

2500 CREW CAB

2500 SB 2WD	5.7L V-8	11,510 (a6,i)
2500 SB 2WD	5.7L V-8	13,510 (a6,k)
2500 SB 2WD	6.4L V-8	12,940 (a6,i)
2500 SB 2WD	6.4L V-8	15,940 (a6,k)
2500 SB 2WD	6.7L I-6 TD	16,450 (m6,g)
2500 SB 2WD	6.7L I-6 TD	17,510 (a6,g)
2500 SB 4WD	5.7L V-8	11,200 (a6,i)
2500 SB 4WD	5.7L V-8	13,200 (a6,k)
2500 SB 4WD	6.4L V-8	12,610 (a6,i)
2500 SB 4WD	6.4L V-8	15,610 (a6,k)
2500 SB 4WD	6.7L I-6 TD	16,120 (m6,g)
2500 SB 4WD	6.7L I-6 TD	17,180 (a6,g)
2500 LB 2WD	5.7L V-8	11,360 (a6,i)
2500 LB 2WD	5.7L V-8	13,360 (a6,k)
2500 LB 2WD	6.4L V-8	12,810 (a6,i)
2500 LB 2WD	6.4L V-8	15,810 (a6,k)
2500 LB 2WD	6.7L I-6 TD	16,290 (m6,g)
2500 LB 2WD	6.7L I-6 TD	17,360 (a6,g)
2500 LB 4WD	5.7L V-8	11,020 (a6,i)
2500 LB 4WD	5.7L V-8	13,010 (a6,k)
2500 LB 4WD	6.4L V-8	12,440 (a6,i)
2500 LB 4WD	6.4L V-8	15,440 (a6,k)
2500 LB 4WD	6.7L I-6 TD	15,940 (m6,g)
2500 LB 4WD	6.7L I-6 TD	17,020 (a6,g)

2015 TOW RATINGS

2500 MEGA CAB

2500 2WD	5.7L V-8	11,040 (a6,i)
2500 2WD	5.7L V-8	13,040 (a6,k)
2500 2WD	6.4L V-8	12,480 (a6,i)
2500 2WD	6.4L V-8	15,480 (a6,k)
2500 2WD	6.7L I-6 TD	16,100 (m6,g)
2500 2WD	6.7L I-6 TD	17,170 (a6,g)
2500 4WD	5.7L V-8	10,770 (a6,i)
2500 4WD	5.7L V-8	12,770 (a6,k)
2500 4WD	6.4L V-8	12,230 (a6,i)
2500 4WD	6.4L V-8	15,230 (a6,k)
2500 4WD	6.7L I-6 TD	14,520 (m6,g)
2500 4WD	6.7L I-6 TD	15,190 (a6,g)

3500 REGULAR CAB

3500 LB SRW 2WD	5.7L V-8	11,910 (a6,i)
3500 LB SRW 2WD	5.7L V-8	13,910 (a6,k)
3500 LB SRW 2WD	6.4L V-8	13,370 (a6,i)
3500 LB SRW 2WD	6.4L V-8	16,370 (a6,k)
3500 LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g)*
3500 LB SRW 4WD	5.7L V-8	11,560 (a6,i)
3500 LB SRW 4WD	5.7L V-8	13,560 (a6,k)
3500 LB SRW 4WD	6.4L V-8	12,970 (a6,i)
3500 LB SRW 4WD	6.4L V-8	15,970 (a6,k)
3500 LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g)*
3500 LB DRW 2WD	6.4L V-8	13,020 (a6,i)
3500 LB DRW 2WD	6.4L V-8	16,520 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g)
3500 LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i)
3500 LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g)
3500 LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i)
3500 LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g)*
3500 LB DRW 2WD	6.7L I-6 TD	24,410 (a6,i)*
3500 LB DRW 2WD	6.7L I-6 TD	30,000 (a6,k)*
3500 LB DRW 4WD	6.4L V-8	12,460 (a6,i)
3500 LB DRW 4WD	6.4L V-8	16,140 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g)
3500 LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i)
3500 LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g)
3500 LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i)
3500 LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g)*

3500 LB DRW 4WD	6.7L I-6 TD	24,030 (a6,i)*
3500 LB DRW 4WD	6.7L I-6 TD	29,530 (a6,k)*

3500 CREW CAB

3500 SB SRW 2WD	5.7L V-8	11,520 (a6,i)
3500 SB SRW 2WD	5.7L V-8	13,520 (a6,k)
3500 SB SRW 2WD	6.4L V-8	12,970 (a6,i)
3500 SB SRW 2WD	6.4L V-8	15,970 (a6,k)
3500 SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g)
3500 SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g)
3500 SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g)*
3500 SB SRW 4WD	5.7L V-8	11,200 (a6,i)
3500 SB SRW 4WD	5.7L V-8	13,200 (a6,k)
3500 SB SRW 4WD	6.4L V-8	12,640 (a6,i)
3500 SB SRW 4WD	6.4L V-8	15,640 (a6,k)
3500 SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g)
3500 SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g)
3500 SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g)*
3500 LB SRW 2WD	5.7L V-8	11,410 (a6,i)
3500 LB SRW 2WD	5.7L V-8	13,410 (a6,k)
3500 LB SRW 2WD	6.4L V-8	12,830 (a6,i)
3500 LB SRW 2WD	6.4L V-8	15,830 (a6,k)
3500 LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g)
3500 LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g)*
3500 LB SRW 4WD	5.7L V-8	11,020 (a6,i)
3500 LB SRW 4WD	5.7L V-8	13,020 (a6,k)
3500 LB SRW 4WD	6.4L V-8	12,470 (a6,i)
3500 LB SRW 4WD	6.4L V-8	15,470 (a6,k)
3500 LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g)
3500 LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
3500 LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
3500 LB DRW 2WD	6.4L V-8	12,450 (a6,i)
3500 LB DRW 2WD	6.4L V-8	15,950 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
3500 LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
3500 LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
3500 LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
3500 LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
3500 LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
3500 LB DRW 2WD	6.7L I-6 TD	23,860 (a6,i)*
3500 LB DRW 2WD	6.7L I-6 TD	29,360 (a6,k)*
3500 LB DRW 4WD	6.4L V-8	12,100 (a6,i)
3500 LB DRW 4WD	6.4L V-8	15,600 (a6,k)
3500 LB DRW 4WD	6.7L I-6 TD	15,610 (m6,g)
3500 LB DRW 4WD	6.7L I-6 TD	17,610 (m6,i)
3500 LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
3500 LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
3500 LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)

3500 CC LB DRW 4WD	6.7L I-6 TD	20,510 (a6,g)*
3500 LB DRW 4WD	6.7L I-6 TD	23,510 (a6,i)*
3500 LB DRW 4WD	6.7L I-6 TD	29,010 (a6,k)*

3500 MEGA CAB

3500 SRW 2WD	5.7L V-8	11,270 (a6,i)
3500 SRW 2WD	5.7L V-8	13,270 (a6,k)
3500 SRW 2WD	6.4L V-8	12,710 (a6,i)
3500 SRW 2WD	6.4L V-8	15,710 (a6,k)
3500 SRW 2WD	6.7L I-6 TD	16,120 (m6,g)
3500 SRW 2WD	6.7L I-6 TD	17,160 (a6,g)
3500 SRW 2WD	6.7L I-6 TD	17,020 (a6,g)*
3500 SRW 4WD	5.7L V-8	10,990 (a6,i)
3500 SRW 4WD	5.7L V-8	12,990 (a6,k)
3500 SRW 4WD	6.4L V-8	12,400 (a6,i)
3500 SRW 4WD	6.4L V-8	15,400 (a6,k)
3500 SRW 4WD	6.7L I-6 TD	15,760 (m6,g)
3500 SRW 4WD	6.7L I-6 TD	16,800 (a6,g)
3500 SRW 4WD	6.7L I-6 TD	16,660 (a6,g)
3500 DRW 2WD	6.4L V-8	12,210 (a6,i)
3500 DRW 2WD	6.4L V-8	15,710 (a6,k)
3500 DRW 2WD	6.7L I-6 TD	15,720 (m6,g)
3500 DRW 2WD	6.7L I-6 TD	17,720 (m6,i)
3500 DRW 2WD	6.7L I-6 TD	16,770 (a6,g)
3500 DRW 2WD	6.7L I-6 TD	18,770 (a6,i)
3500 DRW 2WD	6.7L I-6 TD	21,770 (a6,k)
3500 DRW 2WD	6.7L I-6 TD	20,620 (a6,g)*
3500 DRW 2WD	6.7L I-6 TD	23,620 (a6,i)*
3500 DRW 2WD	6.7L I-6 TD	29,120 (a6,k)*
3500 DRW 4WD	6.4L V-8	12,020 (a6,i)
3500 DRW 4WD	6.4L V-8	15,520 (a6,k)
3500 DRW 4WD	6.7L I-6 TD	15,420 (m6,g)
3500 DRW 4WD	6.7L I-6 TD	17,420 (m6,i)
3500 DRW 4WD	6.7L I-6 TD	16,460 (a6,g)
3500 DRW 4WD	6.7L I-6 TD	18,460 (a6,i)
3500 DRW 4WD	6.7L I-6 TD	21,460 (a6,k)
3500 DRW 4WD	6.7L I-6 TD	20,320 (a6,g)*
3500 DRW 4WD	6.7L I-6 TD	23,320 (a6,i)*
3500 DRW 4WD	6.7L I-6 TD	28,820 (a6,k)*

* HO Cummins, HD 6-speed automatic.

SUBARU

Outback	2.5L 4-Cyl	2,700
Outback	3.6L 6-Cyl	3,000

TOYOTA

4Runner (All)	4.0L V-6	4,700
Highlander	3.5L V-6	2,000
Highlander	3.5L V-6	5,000 (t)

Highlander Hybrid	3.5L V-6	3,500
Land Cruiser	5.7L V-8	8,200
Sienna	3.5L V-6	3,500 (t)
Sequoia 2WD SR5	5.7L V-8	7,400
Sequoia 4WD SR5	5.7L V-8	7,100
Sequoia 2WD Ltd	5.7L V-8	7,400
Sequoia 4WD Ltd	5.7L V-8	7,100
Sequoia 2WD Platinum	5.7L V-8	7,200
Sequoia 4WD Platinum	5.7L V-8	7,000
Tacoma Reg Cab	2.7L I-4	3,500
Tacoma Access Cab	2.7L I-4	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tacoma DC 2WD/4WD	2.7L I-4	3,400
Tacoma DC PreRunner	2.7L I-4	3,500
Tacoma DC 2WD/4WD	4.0L V-6	3,500
Tacoma DC 2WD/4WD SB	4.0L V-6	6,500 (t)
Tacoma DC 2WD/4WD LB	4.0L V-6	6,400 (t)
Tundra Reg Cab LB 2WD	5.7L V-8	8,500
Tundra Reg Cab LB 2WD	5.7L V-8	10,500 (t)
Tundra Reg Cab LB 4WD	5.7L V-8	8,200
Tundra Reg Cab LB 4WD	5.7L V-8	10,200 (t)
Tundra DC Std Bed 2WD	4.6L V-8	6,800
Tundra DC Std Bed 2WD	5.7L V-8	8,200
Tundra DC Std Bed 2WD	5.7L V-8	10,300 (t)
Tundra DC Std Bed 4WD	4.6L V-8	6,500
Tundra DC Std Bed 4WD	5.7L V-8	7,800
Tundra DC Std Bed 4WD	5.7L V-8	10,000 (t)
Tundra DC LB 2WD	5.7L V-8	8,100
Tundra DC LB 2WD	5.7L V-8	10,100 (t)
Tundra DC LB 4WD	5.7L V-8	9,800
Tundra CrewMax 2WD	4.6L V-8	6,600
Tundra CrewMax 2WD	5.7L V-8	8,100
Tundra CrewMax 2WD	5.7L V-8	10,100 (t)
Tundra CrewMax 4WD	4.6L V-8	6,300
Tundra CrewMax 4WD	5.7L V-8	7,800
Tundra CrewMax 4WD	5.7L V-8	9,800 (t)

NOTE: Toyota Tundra tow ratings vary depending on trim level and equipment selected. See your dealer for details.

VOLKSWAGEN

Tiguan	2.0L I-4 TC	2,200
Touareg	All	7,716

VOLVO

S60	All	3,300
S80	All	3,500
XC60	All	3,300
XC70	All	3,500
XC90	All	NA at press time